www.deckmax.com.au

101

"The Market Leaders in Decking"


Deck-Max[™] - Deck-Max Pro One Stop Shop Package

Phone: +61 7 3103 2495 Email: info@deck-max.com.au For further information and downloads, visit: www.deck-max.com.au

One Stop

Deck-Max Architectural We are the market leaders Deck-Max will supply in our One Stop Shop all of the following including the timber decking of your choice.

Packaging of your timber is very important to Deck-Max and we go to extreme lengths to deliver the highest quality timber to you. Our Merbau is very special and it takes over 1 hour to pack each pack of decking, this includes cardboard caps over every bundle of 4 x boards then a cardboard cover. The final cover is Ply capping and then protective plastic for ultimate protection.



Deck-Max Architectural We are the market leaders

Deck-Max Kits



20 Kit - Coverage is approx. 20 Square metres based on board width of 100mm.

Includes:

- 420 Deck Clips
- 80 End Match clips (40 pairs)
- 420 Screws
- 4 x 300ml cartridges Adhesive
- 1 x Combo Pack drill bit & sq. drive
- 30 Butt Joiners

⁸ * 40mm 304 Stainless Steel - wood screw

- Wood screw type 17 cutting tip
- Self drilling design Pan Head
- Suitable for pine joist(A.C.Q./C.C.A.)
- Suitable for KD/hardwood joist's
 Predrill for hardwood
- No 2.Square drive

5 Kit - Coverage is approx. 5 Square metres based on board width of 100mm.

Includes:

- 100 Deck Clips
- 20 End Match clips (10 pairs)
- 110 Screws
- 1 x 300ml cartridges Adhesive
- 1 x Combo Pack drill bit & sq. drive
- 15 Butt Joiners

^{8'x 30mm} Metal Screw

- Metal screw cutting tip
- Class 3 corrosion mechanically coated
- Self drilling design
- Max. wall thickness 3mm.

Square drive

Copyright © 2018. All Rights Reserved.

Deck-Max Architectural We are the market leaders

What's included in these kits



Pro Decking - Pre Grooved both sides - No more nails or screws in the surface of your deck. You can choose 3mm or 5mm gap.



Butt Joiners - for mitred corners, picture frame joints, Butt Joints - as used by cabinet makers this makes it stronger



Bostik Ultra Set - 300ml cartridge coverage approx. 5 square metres. This is used as an acustic membrane to remove the rattle and squeak between the deck board and the joists.



End Match - pre grooved both ends of the decking board & Undercut. Reduces waste by 70%



Screws - Self Drilling timber screws & OR Self drilling for metal frames. Hi Tech design allows for maximum performance. The pan head design delivers the strongest possible torsional strength.



Combo Pack - 1×100 mm long drill bit x 3mm + 1×50 mm # 2 square drive bit. One stop shop to be sure you are supplied the with all the correct tools.

Δ

Copyright © 2018. All Rights Reserved

Standard accessories included in your decking job package









CounterBore Tool

This is the fixing method for the first board and the last board as you cannot be fix with a biscuit, So you come in approx 20mm prepare a hole with this counterBore tool then insert the screw supplied and finish with the wood plug. This prepares the perfect hole to match the DeckMax Wood Plug & Screw #DM 4253.

Wood Plug Kit

Includes 50 plugs + 50 screws #DM 4277 This is the perfect way to start the deck as the first board cannot use a clip - leaves beautiful finish on the top of the deck. Be sure to run a little UltraSet around the rim of the plug before you tap into the hole.

Drill Bits

Replacement drill bits for the CounterBore tool Pack of 3 # DM 4280

Square Drive bits


2 x 100mm long # 2 square drive bits Best for excellent visual into the screw head. # DM 4154

Bostik Wipes

This is perfect to remove any Ultra set of the deck, your tools and hands. # DM 2014

5

Decking Clamps



These Deck Clamps are essential for keeping the gap setting as you install the boards. See videos on the website.

We can also include these deck coatings:







6

Step # 1 - Power Prep

Step 1. The Best Practice for coatings, is to leach the tannins from the hardwood by using the Power Prep (similar to leaving the deck for 6 months), Apply to the raw timber then move to step 2. Reviver

Ratio 1:1

DM 4717 (4 litre)

Step # 2 - Reviver

Step 2, after washing of all the power prep, apply the reviver - this will remove the tannins from the surface and be ready for your final step.

Ratio 4:1 (1 part Reviver)

DM 4716 (4 litre)

Step # 3 - Intergrain Ultra Deck

After preparing the timber in step # 1 & step # 2 allow the deck to dry then apply the 3 coats of this Intergrain Ultra Deck - follow all specifications by the manufacturer.

DM 4710 (4 litre) also available in 10 litre



Deck Sleeve



Deck Brush



Applicator & Handle

Deck-Max Architectural We are the market leaders Copyright © 2018. All Rights Reserved