

R

## One Stop Shop Fused Bamboo Caking Package

## Contractor Market Leaders in Deckings



RESIDENTIAL AND COMMERCIAL APPLICATIONS Copyright © 2021. All Rights Reserve

Phone: +61 7 3103 2495 Email: info@deck-max.com.au For further information and downloads, visit: www.deck-max.com.au

Deck-Max Architectural We are the market leaders Deck-Max will supply in our One Stop Shop all of the following including the timber decking of your choice.

Packaging of your timber is very important to Deck-Max and we go to extreme lengths to deliver the highest quality timber to you. Our Bamboo is very special and it takes over 1 hour to pack each pack of decking, this includes cardboard caps over every bundle of 3 x boards then a cardboard cover. The final cover is Ply capping and then protective plastic for ultimate protection.



Deck-Max Architectural We are the market leaders

## **Deck-Max Kits**



20 Kit - Coverage is approx. 20 Square metres based on board width of 100mm.

#### Includes:

- 420 Deck Clips
- 80 End Match clips (40 pairs)
- 440 Screws
- 4 x 300ml cartridges Adhesive
- 1 x Combo Pack drill bit & sq. drive
- 30 Butt Joiners

#### 304 Stainless Steel - wood screw

- Wood screw type 17 cutting tip
- Self drilling design Pan Head .
- Suitable for pine joist(A.C.Q./C.C.A.)
- Suitable for KD/hardwood joist's Predrill for hardwood
- No 2. Square drive

5 Kit - Coverage is approx. 5 Square metres based on board width of 100mm.

#### Includes:

- 100 Deck Clips
- 20 End Match clips (10 pairs)
- 110 Screws
- 1 x 300ml cartridges Adhesive
- 1 x Combo Pack drill bit & sq. drive
- 15 Butt Joiners

#### **Metal Screw** 8' x 30mm

- Metal screw cutting tip
- Class 3 corrosion mechanically coated
- Self drilling design
- Max. wall thickness 3mm.

#### Square drive

3

8' x 40m

## What's included in these kits



Pro Decking - Pre Grooved both sides - No more nails or screws in the surface of your deck. You can choose 3mm or 5mm gap.



Butt Joiners - for mitred corners, picture frame joints, Butt Joints - as used by cabinet makers this makes it stronger.



Bostik Ultra Set - 300ml cartridge coverage approx. 5 square metres. This is used as an acustic membrane to remove the rattle and squeak between the deck board and the joists.



This Tongue & Groove end matching reduces waste by 70%. This allows you to join/float between joists.



Screws - Self Drilling timber screws & OR Self drilling for metal frames. Hi Tech design allows for maximum performance. The pan head design delivers the strongest possible torsional strength.



Combo Pack -  $1 \times 100$ mm long drill bit x 3mm +  $1 \times 50$ mm # 2 square drive bit. One stop shop to be sure you are supplied the with all the correct tools.

Δ

Copyright © 2021. All Rights Reserved

# Standard accessories included in your decking job package











#### CounterBore Tool

This is the fixing method for the first board and the last board as you cannot be fix with a biscuit, So you come in approx 20mm prepare a hole with this counterBore tool then insert the screw supplied and finish with the wood plug. This prepares the perfect hole to match the DeckMax Wood Plug & Screw.

#### Wood Plug Kit

Includes 50 plugs + 50 screws #DM 4277 This is the perfect way to start the deck as the first board cannot use a clip - leaves beautiful finish on the top of the deck. Be sure to run a little UltraSet around the rim of the plug before you tap into the hole.

#### Drill Bits

Replacement drill bits for the CounterBore tool Pack of 3. # DM 4280

#### Square Drive bits


2 x 100mm long # 2 square drive bits Best for excellent visual into the screw head. # DM 4154

#### Bostik Wipes

This is perfect to remove any Ultra set off the deck, your tools and hands. # DM 2014

5

## **Decking Clamps**



These Deck Clamps are essential for keeping the gap setting as you install the boards. See videos on the website.

## Timber Deck Inclusion of our Coatings





#### 2. Broom & Bucket

Start Up Kits

Step # 1 - Bamboo Cleaner

1. Applicator with handle, tray, bags of rags

This is applied by wetting the boards then in a dilution of 1 part Cleaner : 5 parts water. Spray the deck then broom in the cleaner to the surface keeping it wet at all times.

Be sure to remove all cleaner well after brooming, see WOCA application Data Sheet.

#### Step # 2 - Coatings

The only recommended oil to be used on Bamboo is WOCA oil - this can be found in many tinted colours and offer a very natural oil and does not leave a skin on the surface.



Bucket & Broom

6



Replacement Applicator Head



Applicator & Handle

Deck-Max Architectural We are the market leaders